

**Safety Data Sheet**

according to UK REACH Regulation

**Cutting Fluid Silberschnitt V55**

Revision date: 25.05.2023

Product code: BO5002905

Page 1 of 9

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**
**1.1. Product identifier**

Cutting Fluid Silberschnitt V55

**Further trade names**

 BO5002955, 5 l  
 BO5002905, 30 l  
 BO5002935, 200 l  
 BO9973880\*, Sample

UFI: U2XP-EFSK-3QQG-PCF1

**1.2. Relevant identified uses of the substance or mixture and uses advised against**
**Use of the substance/mixture**

cutting fluid

**1.3. Details of the supplier of the safety data sheet**

Company name:	BOHLE AG	
Street:	Dieselstr. 10	
Place:	D-42781 Haan	
Telephone:	+49 2129 5568-0	Telefax: +49 2129 5568-282
e-mail:	info@bohle.de	
Contact person:	Dr. Martin Schade	Telephone: +49 2129 5568-300
e-mail:	MSDS@bohle.de	
Internet:	www.bohle.com	
Responsible Department:	Chemie	

**1.4. Emergency telephone number:** Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463

**SECTION 2: Hazards identification**
**2.1. Classification of the substance or mixture**
**GB CLP Regulation**

Asp. Tox. 1; H304

Full text of hazard statements: see SECTION 16.

**2.2. Label elements**
**GB CLP Regulation**
**Hazard components for labelling**

 Hydrocarbons, C11-C14, isoalkanes, cyclics, <2% aromatics  
 Hydrocarbons, C11-C14, n-alkane, isoalkanes, cyclics, <2% aromatics  
 Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

**Signal word:** Danger

**Pictograms:**

**Hazard statements**

H304 May be fatal if swallowed and enters airways.

**Precautionary statements**

 P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
 P331 Do NOT induce vomiting.

**Safety Data Sheet**

according to UK REACH Regulation

**Cutting Fluid Silberschnitt V55**

Revision date: 25.05.2023

Product code: BO5002905

Page 2 of 9

P405 Store locked up.

**Special labelling of certain mixtures**

EUH066 Repeated exposure may cause skin dryness or cracking.

**SECTION 3: Composition/information on ingredients**
**3.2. Mixtures**
**Chemical characterization**

Hydrocarbons

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
1174522-15-6	Hydrocarbons, C11-C14, isoalkanes, cyclics, <2% aromatics			<50 %
	927-285-2		01-2119480162-45	
	Asp. Tox. 1; H304 EUH066			
93924-07-3	Hydrocarbons, C11-C14, n-alkane, isoalkanes, cyclics, <2% aromatics			<50 %
	926-141-6		01-2119456620-43	
	Asp. Tox. 1; H304			
93924-07-3	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics			<20 %
	918-481-9		01-2119457273-39	
	Asp. Tox. 1; H304			
5131-66-8	3-butoxypropan-2-ol, propylene glycol monobutyl ether			<10 %
	225-878-4	603-052-00-8	01-2119475527-28	
	Skin Irrit. 2, Eye Irrit. 2; H315 H319			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
1174522-15-6	927-285-2	Hydrocarbons, C11-C14, isoalkanes, cyclics, <2% aromatics	<50 %
	inhalation: LC50 = >5000 mg/l (vapours); dermal: LD50 = >5000 mg/kg; oral: LD50 = >5000 mg/kg		
93924-07-3	926-141-6	Hydrocarbons, C11-C14, n-alkane, isoalkanes, cyclics, <2% aromatics	<50 %
	dermal: LD50 = >5000 mg/kg; oral: LD50 = >5000 mg/kg		
93924-07-3	918-481-9	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	<20 %
	inhalation: LC50 = >4,951 mg/l (vapours); dermal: LD50 = >5000 mg/kg; oral: LD50 = >5000 mg/kg		

**SECTION 4: First aid measures**
**4.1. Description of first aid measures**
**General information**

First aider: Pay attention to self-protection!

Move out of dangerous area.

Take off contaminated clothing and shoes immediately.

**After inhalation**

Remove casualty to fresh air and keep warm and at rest.

If symptoms persist, call a physician.

**Safety Data Sheet**

according to UK REACH Regulation

**Cutting Fluid Silberschnitt V55**

Revision date: 25.05.2023

Product code: BO5002905

Page 3 of 9

**After contact with skin**

Wash off with soap and plenty of water.  
If symptoms persist, call a physician.

**After contact with eyes**

Rinse thoroughly with plenty of water, also under the eyelids. Remove contact lenses, if present and easy to do. Continue rinsing.  
Consult a physician.

**After ingestion**

Rinse mouth thoroughly with water.  
Do NOT induce vomiting.  
Call a physician immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

May be fatal if swallowed and enters airways.  
Repeated exposure may cause skin dryness or cracking.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Carbon dioxide (CO<sub>2</sub>)  
Extinguishing powder  
alcohol resistant foam  
Water spray jet

**Unsuitable extinguishing media**

high volume water jet

**5.2. Special hazards arising from the substance or mixture**

Heating or fire can release toxic gas.  
Carbon dioxide, Carbon monoxide

**5.3. Advice for firefighters**

Standard procedure for chemical fires.  
Self-contained respirator (breathing apparatus)

**Additional information**

Use water spray to cool unopened containers.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Use personal protective equipment.

**6.2. Environmental precautions**

Do not flush into surface water or sanitary sewer system.  
Do not allow to enter into soil/subsoil.  
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

**6.3. Methods and material for containment and cleaning up****Other information**

Provide adequate ventilation.  
Prevent spread over a wide area (e.g. by containment or oil barriers).  
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal. Dispose of waste according to applicable legislation.

**Safety Data Sheet**

according to UK REACH Regulation

**Cutting Fluid Silberschnitt V55**

Revision date: 25.05.2023

Product code: BO5002905

Page 4 of 9

**6.4. Reference to other sections**

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage**
**7.1. Precautions for safe handling**
**Advice on safe handling**

Provide adequate ventilation as well as local exhaustion at critical locations.

To avoid risks to man and the environment, comply with the instructions for use.

**Advice on protection against fire and explosion**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Usual measures for fire prevention.

Take precautionary measures against static discharges.

Vapours can form explosive mixtures with air.

**Advice on general occupational hygiene**

Do not breathe vapours or spray mist.

Avoid contact with skin, eyes and clothing. Take off all contaminated clothing immediately.

Wash hands before breaks and immediately after handling the product.

When using do not eat or drink. Do not smoke.

Keep away from food, drink and animal feedingstuffs.

**7.2. Conditions for safe storage, including any incompatibilities**
**Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place.

Store in a place accessible by authorized persons only.

Protect from direct sunlight.

**Hints on joint storage**

Incompatible with oxidizing agents.

**Further information on storage conditions**

Recommended storage temperature: 5 - 40°C

**7.3. Specific end use(s)**

cutting fluid

**SECTION 8: Exposure controls/personal protection**
**8.1. Control parameters**
**DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
5131-66-8	3-butoxypropan-2-ol, propylene glycol monobutyl ether			
Worker DNEL, long-term		dermal	systemic	44 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	270,5 mg/m <sup>3</sup>

**Safety Data Sheet**

according to UK REACH Regulation

**Cutting Fluid Silberschnitt V55**

Revision date: 25.05.2023

Product code: BO5002905

Page 5 of 9

**PNEC values**

CAS No	Substance	
Environmental compartment		Value
5131-66-8	3-butoxypropan-2-ol, propylene glycol monobutyl ether	
Freshwater		0,525 mg/l
Marine water		0,0525 mg/l
Freshwater sediment		2,36 mg/kg
Marine sediment		0,236 mg/kg
Soil		0,16 mg/kg

**8.2. Exposure controls**
**Appropriate engineering controls**

Provide adequate ventilation as well as local exhaustion at critical locations.

**Individual protection measures, such as personal protective equipment**
**Eye/face protection**

safety glasses with side-shields conforming to EN166

**Hand protection**

The selected protective gloves have to satisfy the specifications of EU Directive 89/689/EEC and the standard EN 374 derived from it.

Glove material: Butyl caoutchouc (butyl rubber), NBR (Nitrile rubber)

Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

**Skin protection**

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn.

EN 13034 (type 6 limited splash-tight)

**Respiratory protection**

In case of insufficient ventilation, wear suitable respiratory equipment. Combination filtering device

Respirator with filter for organic vapour, Recommended Filter type: A-P2

**Environmental exposure controls**

Do not flush into surface water or sanitary sewer system.

Do not allow to enter into soil/subsoil.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

**SECTION 9: Physical and chemical properties**
**9.1. Information on basic physical and chemical properties**

Physical state:	Liquid
Colour:	colourless
Odour:	like: Hydrocarbons

	Test method
Boiling point or initial boiling point and boiling range:	> 165 °C
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	>61 °C ISO 2719
Auto-ignition temperature:	not determined
pH-Value:	not applicable
Viscosity / kinematic: (at 40 °C)	< 2 mm <sup>2</sup> /s

**Safety Data Sheet**

according to UK REACH Regulation

**Cutting Fluid Silberschnitt V55**

Revision date: 25.05.2023

Product code: BO5002905

Page 6 of 9

Water solubility:	insoluble
Vapour pressure: (at 20 °C)	>0,1 hPa
Density (at 20 °C):	0,79 g/cm <sup>3</sup>

**9.2. Other information****Information with regard to physical hazard classes**

Self-ignition temperature not auto-flammable

**Other safety characteristics**

Solvent content:	100%
Viscosity / dynamic: (at 20 °C)	< 2 mPa·s

**Further Information**

Vapours can form explosive mixtures with air.

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

**10.2. Chemical stability**

The mixture is chemically stable under recommended conditions of storage, use and temperature.

**10.3. Possibility of hazardous reactions**

Vapours can form explosive mixtures with air.

**10.4. Conditions to avoid**Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Protect from direct sunlight.**10.5. Incompatible materials**

oxidizing agents

**10.6. Hazardous decomposition products**

No decomposition if used as directed.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in GB CLP Regulation****Acute toxicity**

Based on available data, the classification criteria are not met.

**Safety Data Sheet**

according to UK REACH Regulation

**Cutting Fluid Silberschnitt V55**

Revision date: 25.05.2023

Product code: BO5002905

Page 7 of 9

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1174522-15-6	Hydrocarbons, C11-C14, isoalkanes, cyclics, <2% aromatics				
	oral	LD50 >5000 mg/kg	Rat		
	dermal	LD50 >5000 mg/kg	Rabbit		
	inhalation (4 h) vapour	LC50 >5000 mg/l	Rat		
93924-07-3	Hydrocarbons, C11-C14, n-alkane, isoalkanes, cyclics, <2% aromatics				
	oral	LD50 >5000 mg/kg	Rat	OECD 401	
	dermal	LD50 >5000 mg/kg	Rabbit	OECD 402	
93924-07-3	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics				
	oral	LD50 >5000 mg/kg	Rat		
	dermal	LD50 >5000 mg/kg	Rabbit		
	inhalation (4 h) vapour	LC50 >4,951 mg/l	Rat		

**Irritation and corrosivity**

Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Repeated exposure may cause skin dryness or cracking.

**Aspiration hazard**

May be fatal if swallowed and enters airways.

**SECTION 12: Ecological information**
**12.1. Toxicity**

This product has no known eco-toxicological effects.

**12.3. Bioaccumulative potential**

Bioaccumulation is unlikely.

**12.4. Mobility in soil**

No data available

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

## Safety Data Sheet

according to UK REACH Regulation

### Cutting Fluid Silberschnitt V55

Revision date: 25.05.2023

Product code: BO5002905

Page 8 of 9

slightly water endangering  
Do not flush into surface water or sanitary sewer system.  
Avoid subsoil penetration.

#### SECTION 13: Disposal considerations

##### 13.1. Waste treatment methods

###### Disposal recommendations

Can be incinerated, when in compliance with local regulations.

###### Contaminated packaging

Dispose of completely emptied containers as combustible waste or metal waste depending on the material.

#### SECTION 14: Transport information

##### Land transport (ADR/RID)

<b>14.1. UN number or ID number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

##### Inland waterways transport (ADN)

<b>14.1. UN number or ID number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

##### Marine transport (IMDG)

<b>14.1. UN number or ID number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

##### Air transport (ICAO-TI/IATA-DGR)

<b>14.1. UN number or ID number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

##### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

##### Other applicable information

Not dangerous goods in the meaning of ADR/RID, ADNR, IMDG-Code, ICAO/IATA-DGR

#### SECTION 15: Regulatory information

##### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

###### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2004/42/EC (VOC): 100 % (790 g/l)

###### National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

##### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.



**Safety Data Sheet**

according to UK REACH Regulation

**Cutting Fluid Silberschnitt V55**

Revision date: 25.05.2023

Product code: BO5002905

Page 9 of 9

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 1,4.

**Classification for mixtures and used evaluation method according to GB CLP Regulation**

Classification	Classification procedure
Asp. Tox. 1; H304	Calculation method

**Relevant H and EUH statements (number and full text)**

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
EUH066	Repeated exposure may cause skin dryness or cracking.

**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*