

according to Regulation (EC) No 1907/2006

**Polishing gel,contains cerium**

Revision date: 02.09.2020

Product code: BO50080041

Page 1 of 7

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Polishing gel,contains cerium

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Abrasive / Polishing agent

**1.3. Details of the supplier of the safety data sheet**

Company name:	BOHLE AG	
Street:	Dieselstr. 10	
Place:	D-42781 Haan	
Telephone:	+49 2129 5568-0	Telefax: +49 2129 5568-282
e-mail:	info@bohle.de	
Contact person:	Klaus Nehren	Telephone: +49 2129 5568-276
e-mail:	MSDS@bohle.de	
Internet:	www.bohle.com	
Responsible Department:	Chemie	

**1.4. Emergency telephone number:** Only available during office hours. +49 2129 5568-276

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

**2.2. Label elements****Regulation (EC) No. 1272/2008****Special labelling of certain mixtures**

EUH208	Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol, Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.
EUH210	Safety data sheet available on request.

**2.3. Other hazards**

None under normal processing.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures**

according to Regulation (EC) No 1907/2006

**Polishing gel, contains cerium**

Revision date: 02.09.2020

Product code: BO50080041

Page 2 of 7

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
68188-85-2	Rare earth flourides			<3%
	269-166-1			
126-86-3	2,4,7,9-tetramethyldec-5-yne-4,7-diol			< 1 %
	204-809-1		01-2119954390-39	
	Eye Dam. 1, Skin Sens. 1B, Aquatic Chronic 3; H318 H317 H412			
55965-84-9	Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)			< 0,0015 %
	911-418-6	613-167-00-5	01-2120764691-48	
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1 (M-Factor = 100), Aquatic Chronic 1 (M-Factor = 100); H330 H310 H301 H314 H318 H317 H400 H410 EUH071			

Full text of H and EUH statements: see section 16.

**SECTION 4: First aid measures**
**4.1. Description of first aid measures**
**General information**

If medical advice is needed, have product container or label at hand.

**After inhalation**

Remove casualty to fresh air and keep warm and at rest. If symptoms persist, call a physician.

**After contact with skin**

After contact with skin, wash immediately with plenty of water and soap.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

**After ingestion**

Do NOT induce vomiting.

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

**4.2. Most important symptoms and effects, both acute and delayed**

No data available

**4.3. Indication of any immediate medical attention and special treatment needed**

First Aid, decontamination, treatment of symptoms.

**SECTION 5: Firefighting measures**
**5.1. Extinguishing media**
**Suitable extinguishing media**

 Carbon dioxide (CO<sub>2</sub>), Extinguishing powder, Water spray, alcohol resistant foam

**Unsuitable extinguishing media**

Full water jet

**5.2. Special hazards arising from the substance or mixture**

In case of fire may be liberated: Carbon monoxide, Carbon dioxide

according to Regulation (EC) No 1907/2006

**Polishing gel, contains cerium**

Revision date: 02.09.2020

Product code: BO50080041

Page 3 of 7

**5.3. Advice for firefighters**

Do not inhale explosion and combustion gases. In case of fire: Wear self-contained breathing apparatus. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Avoid contact with skin, eyes and clothes.  
Personal protection equipment: see section 8

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

**6.3. Methods and material for containment and cleaning up**

Provide adequate ventilation. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

**6.4. Reference to other sections**

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Provide adequate ventilation as well as local exhaustion at critical locations.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Store in a cool dry place.

**Further information on storage conditions**

Protect from frost, heat and sunlight.

**7.3. Specific end use(s)**

not applicable

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
16984-48-8	Fluoride (inorganic as F)	-	2.5		TWA (8 h)	WEL

**8.2. Exposure controls****Protective and hygiene measures**

When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. Do not breathe gas/vapour. Wash hands before breaks and after work.

**Eye/face protection**

safety glasses with side-shields conforming to EN166

**Hand protection**

The selected protective gloves have to satisfy the specifications of EU Directive 89/689/EEC and the standard EN 374 derived from it.

Suitable material: NBR (Nitrile rubber), Butyl caoutchouc (butyl rubber), CR (polychloroprene, chloroprene rubber)

according to Regulation (EC) No 1907/2006

**Polishing gel, contains cerium**

Revision date: 02.09.2020

Product code: BO50080041

Page 4 of 7

Breakthrough time (maximum wearing time) > 480 min.

Unsuitable extinguishing media PVA (Polyvinyl alcohol) For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

**Skin protection**

Not required

**Respiratory protection**

No personal respiratory protective equipment normally required.

**Environmental exposure controls**

See section 7. No additional measures necessary.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	Paste
Colour:	whitish - beige
Odour:	characteristic

**Test method**

pH-Value:	not applicable
-----------	----------------

**Changes in the physical state**

Melting point:	not applicable
----------------	----------------

Initial boiling point and boiling range:	not applicable
--	----------------

Flash point:	not applicable
--------------	----------------

**Explosive properties**

not applicable

Lower explosion limits:	not applicable
-------------------------	----------------

Upper explosion limits:	not applicable
-------------------------	----------------

Ignition temperature:	not relevant
-----------------------	--------------

Density (at 20 °C):	1,7 g/cm <sup>3</sup> (Active agent)
---------------------	--------------------------------------

Partition coefficient:	not applicable
------------------------	----------------

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

Pressurised container: May burst if heated. Do not expose to temperatures above 50°C.

**10.4. Conditions to avoid**

Frost

**10.5. Incompatible materials**

None known.

**10.6. Hazardous decomposition products**

None known.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects**

according to Regulation (EC) No 1907/2006

**Polishing gel, contains cerium**

Revision date: 02.09.2020

Product code: BO50080041

Page 5 of 7

**Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
55965-84-9	Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)				
	oral	ATE 100 mg/kg			
	dermal	ATE 50 mg/kg			
	inhalation vapour	ATE 0,5 mg/l			
	inhalation aerosol	ATE 0,05 mg/l			

**Irritation and corrosivity**

Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**SECTION 12: Ecological information**

**12.1. Toxicity**

There are no data available on the preparation/mixture itself.

**12.2. Persistence and degradability**

There are no data available on the preparation/mixture itself.

**12.3. Bioaccumulative potential**

There are no data available on the preparation/mixture itself.

**12.4. Mobility in soil**

There are no data available on the preparation/mixture itself.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**Further information**

Do not empty into drains.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal recommendations**

Dispose of waste according to applicable legislation.

**List of Wastes Code - residues/unused products**

101114 WASTES FROM THERMAL PROCESSES; wastes from manufacture of glass and glass products; glass-polishing and -grinding sludge other than those mentioned in 10 11 13

**List of Wastes Code - used product**

101114 WASTES FROM THERMAL PROCESSES; wastes from manufacture of glass and glass products; glass-polishing and -grinding sludge other than those mentioned in 10 11 13

**List of Wastes Code - contaminated packaging**

according to Regulation (EC) No 1907/2006

**Polishing gel,contains cerium**

Revision date: 02.09.2020

Product code: BO50080041

Page 6 of 7

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

**SECTION 14: Transport information****Land transport (ADR/RID)**

**14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**Inland waterways transport (ADN)**

**14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**Marine transport (IMDG)**

**14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: no

**14.6. Special precautions for user**

SECTION 6: Accidental release measures  
SECTION 7: Handling and storage  
SECTION 8: Exposure controls/personal protection

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

not relevant

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

2004/42/EC (VOC): 0 %

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

according to Regulation (EC) No 1907/2006

**Polishing gel, contains cerium**

Revision date: 02.09.2020

Product code: BO50080041

Page 7 of 7

Water hazard class (D): 1 - slightly hazardous to water

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Relevant H and EUH statements (number and full text)**

H301	Toxic if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
EUH208	Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol, Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.
EUH210	Safety data sheet available on request.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*