

according to Regulation (EC) No 1907/2006

**Glasreiniger Citrus**

Revision date: 06.09.2018

Product code: BO5107809

Page 1 of 6

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Glasreiniger Citrus

**Further trade names**

BO 5107808, 5107808P, 5107808S

BO 5107809

BO BX07808, BX07808N

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Cleaning agent

**1.3. Details of the supplier of the safety data sheet**

Company name: BOHLE AG  
Street: Dieselstr. 10  
Place: D-42781 Haan  
Telephone: +49 2129 5568-0  
e-mail: info@bohle.de  
Contact person: Klaus Nehren  
e-mail: MSDS@bohle.de  
Internet: www.bohle-group.com  
Responsible Department: Chemie

Telefax: +49 2129 5568-282  
Telephone: +49 2129 5568-276

**1.4. Emergency telephone number:** Only available during office hours. +49 2129 5568-276

**SECTION 2: Hazards identification****2.2. Label elements****Additional advice on labelling**

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
111-76-2	2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether			<10 %
	203-905-0	603-014-00-0		
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2; H332 H312 H302 H315 H319			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			<5 %
	200-661-7	603-117-00-0	01-2119457558-25	
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336			

Full text of H and EUH statements: see section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures**

according to Regulation (EC) No 1907/2006

Revision date: 06.09.2018

**Glasreiniger Citrus**

Product code: BO5107809

Page 2 of 6

**General information**

Take off immediately all contaminated clothing.

**After inhalation**

Provide fresh air.

If symptoms persist, call a physician.

**After contact with skin**

Wash with plenty of water.

**After contact with eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If symptoms persist, call a physician.

**After ingestion**

Rinse mouth. Let water be drunk in little sips (dilution effect).

Do NOT induce vomiting.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Carbon dioxide (CO<sub>2</sub>), Extinguishing powder, Water spray jet, alcohol resistant foam

**Unsuitable extinguishing media**

High power water jet

**5.2. Special hazards arising from the substance or mixture**

In case of fire may be liberated: Carbon monoxide, Carbon dioxide

Vapours are heavier than air and may spread along floors.

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

**Additional information**

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Wear personal protective equipment.

**6.2. Environmental precautions**

Dilute with plenty of water.

**6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

**6.4. Reference to other sections**

SECTION 7: Handling and storage

SECTION 8: Exposure controls/personal protection

SECTION 13: Disposal considerations

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on protection against fire and explosion**

Usual measures for fire prevention.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep only in the original container in a cool, well-ventilated place.

Protect against direct sunlight.

according to Regulation (EC) No 1907/2006

**Glasreiniger Citrus**

Revision date: 06.09.2018

Product code: BO5107809

Page 3 of 6

Always close containers tightly after the removal of product.

**Advice on storage compatibility**

 Keep away from food, drink and animal feedingstuffs.  
 Keep/Store away from combustible materials.

**Further information on storage conditions**

storage temperature: -5°C - 40°C

**SECTION 8: Exposure controls/personal protection**
**8.1. Control parameters**
**Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
111-76-2	2-Butoxyethanol	25	123		TWA (8 h)	WEL
		50	246		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

**Biological Monitoring Guidance Values (EH40)**

CAS No	Substance	Parameter	Value	Test material	Sampling time
111-76-2	2-Butoxyethanol	butoxyacetic acid	240 mmol/mol	urine	Post shift

**DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			
Consumer DNEL, long-term		oral	systemic	26 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	319 mg/kg bw/day
Worker DNEL, long-term		dermal	systemic	888 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	89 mg/m <sup>3</sup>
Worker DNEL, long-term		inhalation	systemic	500 mg/m <sup>3</sup>

**PNEC values**

CAS No	Substance	Value
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol	
Freshwater		140,9 mg/l
Freshwater (intermittent releases)		140,9 mg/l
Marine water		140,9 mg/l
Freshwater sediment		552 mg/kg
Marine sediment		552 mg/kg
Micro-organisms in sewage treatment plants (STP)		2251 mg/l
Soil		28 mg/kg

**8.2. Exposure controls**

according to Regulation (EC) No 1907/2006

**Glasreiniger Citrus**

Revision date: 06.09.2018

Product code: BO5107809

Page 4 of 6

**Appropriate engineering controls**

Even in case of a full release, due to the small amount of substances present, it is not expected that exposure limits will be reached. However it is the duty of the user to verify this and follow given exposure limits at the workplace.

**Protective and hygiene measures**

Handle in accordance with good industrial hygiene and safety practice.

**Eye/face protection**

Not required

**Hand protection**

Not required

**Skin protection**

Not required

**Respiratory protection**

In case of inadequate ventilation wear respiratory protection. Combination filtering device (EN 14387)

Recommended Filter type: A-P2

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	clear
Odour:	Lemon

pH-Value (at 20 °C):	10,8
----------------------	------

**Changes in the physical state**

Initial boiling point and boiling range:	100 °C
--	--------

**Auto-ignition temperature**

Vapour pressure:	23 hPa
(at 20 °C)	

Water solubility:	completely miscible
-------------------	---------------------

Solvent content:	10%
------------------	-----

**Test method****9.2. Other information****SECTION 10: Stability and reactivity****10.1. Reactivity**

None under normal processing.

**10.2. Chemical stability**

No decomposition if used as directed.

**10.3. Possibility of hazardous reactions**

No known hazardous reactions.

**10.4. Conditions to avoid**

None known.

**10.5. Incompatible materials**

None known.

**10.6. Hazardous decomposition products**

None known.

according to Regulation (EC) No 1907/2006

**Glasreiniger Citrus**

Revision date: 06.09.2018

Product code: BO5107809

Page 5 of 6

**SECTION 11: Toxicological information**
**11.1. Information on toxicological effects**
**Acute toxicity**

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
111-76-2	2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether					
	oral	LD50 1480 mg/kg	Rat			
	dermal	LD50 2000 mg/kg	Rabbit			
	inhalative vapour	ATE 11 mg/l				
	inhalative aerosol	ATE 1,5 mg/l				
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol					
	oral	LD50 4570 mg/kg	Rat			
	dermal	LD50 13400 mg/kg	Rabbit			
	inhalative (4 h) vapour	LC50 30 mg/l	Rat			

**SECTION 12: Ecological information**
**12.1. Toxicity**

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
111-76-2	2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether					
	Acute fish toxicity	LC50 1490 mg/l	96 h	Lepomis macrochirus		
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol					
	Acute fish toxicity	LC50 9640 mg/l	96 h	Pimephales promelas (fathead minnow)		
	Acute algae toxicity	ErC50 >2000 mg/l	72 h	Desmodesmus subspicatus		

**12.2. Persistence and degradability**

Readily biodegradable.

**12.3. Bioaccumulative potential**

No information available.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
111-76-2	2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether	0,81 (25°C)
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol	-0,16

**12.4. Mobility in soil**

No information available.

**Further information**

slightly hazardous to water (WGK 1)

**SECTION 13: Disposal considerations**

according to Regulation (EC) No 1907/2006

**Glasreiniger Citrus**

Revision date: 06.09.2018

Product code: BO5107809

Page 6 of 6

**13.1. Waste treatment methods****Waste disposal number of waste from residues/unused products**

160306 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes other than those mentioned in 16 03 05

**Waste disposal number of used product**

160306 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes other than those mentioned in 16 03 05

**Waste disposal number of contaminated packaging**

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

**Contaminated packaging**

Contaminated packages must be completely emptied and can be re-used following proper cleaning.  
Water (with cleaning agent)

**SECTION 14: Transport information****Land transport (ADR/RID)**

**14.2. UN proper shipping name:** Not dangerous goods in the meaning of ADR/RID, ADN, IMDG-Code, ICAO/IATA-DGR

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: no

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

2004/42/EC (VOC): 10%  
Subcategory according to Directive 2004/42/EC: Preparatory and cleaning - Preparatory, VOC limit value: 850 g/l

**National regulatory information**

Water contaminating class (D): 1 - slightly water contaminating

**SECTION 16: Other information****Relevant H and EUH statements (number and full text)**

H225 Highly flammable liquid and vapour.  
H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H336 May cause drowsiness or dizziness.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*