Telefax: +49 2129 5568-282



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Concentrated coolant VETROCOOL low-foaming

Revision date: 25.03.2021 Product code: BO5002818 Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Concentrated coolant VETROCOOL low-foaming

Further trade names

BO 5002817, 20 kg BO 5002818, 220 kg

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

lubricant assistants

1.3. Details of the supplier of the safety data sheet

Company name: BOHLE AG
Street: Dieselstr. 10
Place: D-42781 Haan
Telephone: +49 2129 5568-0

e-mail: info@bohle.de

Contact person: Klaus Nehren Telephone: +49 2129 5568-276

e-mail: MSDS@bohle.de Internet: www.bohle.com

Responsible Department: Chemie

1.4. Emergency telephone Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements: Causes skin irritation. Causes serious eye irritation.

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word: Warning

Pictograms:



Hazard statements

H315 Causes skin irritation. H319 Causes serious eye irritation.

Precautionary statements

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of Water and soap.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.



according to Regulation (EC) No 1907/2006

Concentrated coolant VETROCOOL low-foaming

Revision date: 25.03.2021 Product code: BO5002818 Page 2 of 7

P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Pictograms:



SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Corrosion inhibitor

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
10049-36-2	Orthoboric acid, compound with 2,2',2"-nitrilotriethanol			< 20 %
	233-175-9		01-2120763507-48	
	Skin Irrit. 2, Eye Irrit. 2; H315 H319			
82801-62-5	Sebacic acid, compound with 2-aminoethanol			< 10 %
	280-045-2			
	Skin Irrit. 2, Eye Irrit. 2; H315 H319			
10043-35-3	Boric acid			<2,5 %
	233-139-2	005-007-00-2	01-2119486683-25	
	Repr. 1B; H360FD			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
10043-35-3	233-139-2	Boric acid	<2,5 %
	Repr. 1B; H360FD: >= 5,5 - 100		

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!

Move out of dangerous area.

Take off all contaminated clothing immediately.

After inhalation

Move to fresh air.

If symptoms persist, call a physician.

After contact with skin

Wash off with soap and water.

If symptoms persist, call a physician.



according to Regulation (EC) No 1907/2006

Concentrated coolant VETROCOOL low-foaming

Revision date: 25.03.2021 Product code: BO5002818 Page 3 of 7

After contact with eyes

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes.

Call a physician immediately.

After inaestion

Rinse mouth thoroughly with water.

Do not induce vomiting.

Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

Causes skin irritation.

Causes serious eye irritation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

water spray dry powder alcohol-resistant foam carbon dioxide (CO2)

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Carbon monoxide

nitrogen oxides (NOx)

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

Avoid subsoil penetration.

6.3. Methods and material for containment and cleaning up

Other information

Ensure adequate ventilation.

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4. Reference to other sections

SECTION 8: Exposure controls/personal protection

SECTION 13: Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes.

Handle in accordance with good industrial hygiene and safety practice.

Provide sufficient air exchange and/or exhaust in work rooms.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Co-ordinate fire-fighting measures to the fire surroundings.

Print date: 30.03.2021



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Concentrated coolant VETROCOOL low-foaming

Revision date: 25.03.2021 Product code: BO5002818 Page 4 of 7

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep containers tightly closed in a cool, well-ventilated place.

Store in original container.

Store in a place accessible by authorized persons only.

Protect from frost, heat and sunlight.

Hints on joint storage

Do not store near acids.

Further information on storage conditions

5 - 40°C

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
10043-35-3	Borate compounds inorganic: boric acid	-	2		TWA (8 h)	

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
10043-35-3	Boric acid			
Worker DNEL,	Worker DNEL, long-term inhalation systemic 8,3 mg/m³			8,3 mg/m³
Worker DNEL, long-term		dermal	systemic	392 mg/kg bw/day

PNEC values

CAS No	Substance		
Environmental compartment		Value	
10043-35-3 Boric acid			
Freshwater 1,3		1,35 mg/l	
Marine water		1,35 mg/l	
Freshwater sediment		1,8 mg/kg	
Marine sediment		1,8 mg/kg	
Micro-organisms in sewage treatment plants (STP)		1,75 mg/l	

Additional advice on limit values

Even in case of a full release, due to the small amount of substances present, it is not expected that exposure limits will be reached. However it is the duty of the user to verify this and follow given exposure limits at the workplace.

8.2. Exposure controls

Protective and hygiene measures

Provide adequate ventilation. Do not breathe vapour/aerosol.

Avoid contact with the skin and the eyes.

Take off contaminated clothing and shoes immediately.

Keep away from food, drink and animal feedingstuffs.

Wash hands before breaks and immediately after handling the product.

When using, do not eat, drink or smoke.

Eye/face protection

safety glasses with side-shields conforming to EN166



according to Regulation (EC) No 1907/2006

Concentrated coolant VETROCOOL low-foaming

Revision date: 25.03.2021 Product code: BO5002818 Page 5 of 7

Hand protection

protective gloves EN ISO 374

nitrile rubber

Butyl caoutchouc (butyl rubber)

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Chemical protection clothing DIN EN 13034

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Recommended Filter type: A-P2

Environmental exposure controls

Do not allow to enter into surface water or drains.

Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: green
Odour: slight

Test method

pH-Value (at 20 °C): 9,5

Changes in the physical state

Melting point: -8 °C
Boiling point or initial boiling point and > 100 °C

boiling range:

Flash point: not applicable
Lower explosion limits: not applicable
Upper explosion limits: not applicable
Auto-ignition temperature: not applicable

Density (at 20 °C): 1,06 g/cm³ DIN 51757

Water solubility: completely miscible

Viscosity / dynamic: 3 mPa·s DIN 54453

(at 20 °C)

Viscosity / kinematic: 6 mm²/s

(at 20 °C)

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Exothermic reaction with strong acids.

10.4. Conditions to avoid

Protect from frost, heat and sunlight.



according to Regulation (EC) No 1907/2006

Concentrated coolant VETROCOOL low-foaming

Revision date: 25.03.2021 Product code: BO5002818 Page 6 of 7

10.5. Incompatible materials

strong acids and oxidizing agents
Nitrous acid and other nitrosating agents

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

SECTION 12: Ecological information

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

Bioaccumulation is unlikely.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
10043-35-3	Boric acid	-1,09

12.4. Mobility in soil

No data available

Further information

slightly water endangering

Do not flush into surface water or sanitary sewer system.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.

SECTION 14: Transport information

Other applicable information

Not dangerous goods in the meaning of ADR/RID, ADNR, IMDG-Code, ICAO/IATA-DGR

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):

Boric acid

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 30

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water



according to Regulation (EC) No 1907/2006

Concentrated coolant VETROCOOL low-foaming

Revision date: 25.03.2021 Product code: BO5002818 Page 7 of 7

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,3.

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method

Relevant H and EUH statements (number and full text)

H315 Causes skin irritation.H319 Causes serious eye irritation.

H360FD May damage fertility. May damage the unborn child.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)