Safety Data Sheet

NBohle

Concentrated coolant VETROCOOL

Revision date: 06/01/2023

Product code: BO5002827

Page 1 of 7

1. Identification

Product identifier

Concentrated coolant VETROCOOL

Further trade names

BO 5002827, 20 kg BO 5002828, 220 kg

Recommended use of the chemical and restrictions on use

Use of the substance/mixture

lubricant assistants

Details of the supplier of the safety data sheet

Manufacturer

| Company name: Street: Place: | BOHLE AG Dieselstr. 10 D-42781 Haan | |
|--|---|------------------------------|
| Telephone: e-mail: | +49 2129 5568-0 info@bohle.de | Telefax: +49 2129 5568-282 |
| Contact person: e-mail: Internet: Responsible Department: | Dr. Martin Schade MSDS@bohle.de www.bohle.com Chemie | Telephone: +49 2129 5568-300 |
| Trader of the product | | |
| Company name: | Bohle America, Inc. | |
| Street: | 10924 Granite Street, Suite 200 | |
| Place: | USA-NC 28273 Charlotte | |
| e-mail (Contact person): | sales@bohle.com | |
| Emergency phone number: | Emergency CONTACT (24-Hour-Number): | GBK GmbH +49 (0)6132-84463 |

2. Hazard(s) identification

Classification of the chemical

Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

Label elements

Regulation (EC) No 1272/2008

Precautionary statements

| · · · · · · · · · · · · · · · · · · · | |
|---------------------------------------|--|
| P264 | Wash hands thoroughly after handling. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P302+P352 | If on skin: Wash with plenty of water. |
| P305+P351+P338 | If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P337+P313 | If eye irritation persists: Get medical advice/attention. |
| P332+P313 | If skin irritation occurs: Get medical advice/attention. |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |
| P503 | Dispose of waste according to applicable legislation. |

Special labelling of certain mixtures

EUH210

Safety data sheet available on request.

3. Composition/information on ingredients

<u>Mixtures</u>



Revision date: 06/01/2023

Product code: BO5002827

Page 2 of 7

Hazardous components

| CAS No | Components | | | | | |
|----------|---------------------------------------|-------------------------|--|-----------|--|--|
| | EC No | EC No Index No REACH No | | | | |
| | Classification (Regulation (EC) |) No 1272/2008) | | | | |
| 111-46-6 | 2,2'-oxybisethanol; diethylene glycol | | | | | |
| | 203-872-2 | 603-140-00-6 | | | | |
| | Acute Tox. 4; H302 | | | | | |
| 105-59-9 | 2,2'-(methylimino)diethanol; N- | -methyldiethanolamine | | 1 - < 5 % | | |
| | 203-312-7 | 603-079-00-5 | | | | |
| | Eye Irrit. 2; H319 | | | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Components | Quantity | | | | |
|----------|---|---|------------|--|--|--|--|
| | Specific Conc. | Limits, M-factors and ATE | | | | | |
| 111-46-6 | 203-872-2 | 2,2'-oxybisethanol; diethylene glycol | 5 - < 10 % | | | | |
| | inhalation: LC50 = > 5 mg/l (vapours); dermal: LD50 = 13300 mg/kg; oral: LD50 = 19600 mg/kg | | | | | | |
| 105-59-9 | 203-312-7 | 2,2'-(methylimino)diethanol; N-methyldiethanolamine | 1 - < 5 % | | | | |
| | dermal: LD50 | = 5990 mg/kg; oral: LD50 = 4680 mg/kg | | | | | |

4. First-aid measures

Description of first aid measures

After inhalation

Remove person to fresh air and keep comfortable for breathing. If symptoms persist, call a physician.

After contact with skin

Wash off with warm water and soap. If skin irritation persists, call a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. If symptoms persist, call a physician.

After ingestion

Rinse mouth. When in doubt or if symptoms are observed, get medical advice.

Most important symptoms and effects, both acute and delayed

May cause eye/skin irritation.

Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Water mist. Foam. dry powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Carbon monoxide nitrogen oxides (NOx)

Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus. Move undamaged containers from immediate hazard area if it can be done safely.

Safety Data Sheet

NBohle

Concentrated coolant VETROCOOL

Revision date: 06/01/2023

Product code: BO5002827

Page 3 of 7

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

General advice

Use personal protective equipment.

Environmental precautions

Do not flush into surface water or sanitary sewer system. Avoid subsoil penetration.

Methods and material for containment and cleaning up

For containment

Large amounts of spillages: Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Small amounts of spillages: Wipe up with absorbent material (eg. cloth, fleece).

For cleaning up

Flush with water.

Other information

Never return spills in original containers for re-use.

Reference to other sections

SECTION 8: Exposure controls/personal protection

SECTION 13: Disposal considerations

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Provide sufficient air exchange and/or exhaust in work rooms.

Advice on protection against fire and explosion

Usual measures for fire prevention. Co-ordinate fire-fighting measures to the fire surroundings.

Advice on general occupational hygiene

Provide adequate ventilation. Do not breathe vapour/aerosol. Avoid contact with the skin and the eyes. Take off contaminated clothing and shoes immediately. Keep away from food, drink and animal feedingstuffs. Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep containers tightly closed in a cool, well-ventilated place. Protect from frost, heat and sunlight. Store in original container.

Further information on storage conditions

10 - 30°C

Specific end use(s)

lubricant assistants

8. Exposure controls/personal protection



Revision date: 06/01/2023

Product code: BO5002827

Page 4 of 7

Control parameters

DNEL/DMEL values

| CAS No | Substance | | | | | | |
|--|--|----------------|----------|----------|--|--|--|
| DNEL type | | Exposure route | Effect | Value | | | |
| 111-46-6 2,2'-oxybisethanol; diethylene glycol | | | | | | | |
| Worker DNEL, | long-term | inhalation | systemic | 26 mg/m³ | | | |
| Worker DNEL, | NEL, long-term dermal systemic 106 mg/kg bw/day | | | | | | |
| Worker DNEL, long-term inhalation local 60 mg/m³ | | | | | | | |
| 105-59-9 | 105-59-9 2,2'-(methylimino)diethanol; N-methyldiethanolamine | | | | | | |
| Worker DNEL, long-term dermal systemic 19 mg/kg bw/day | | | | | | | |
| DNEC velues | | - | - | - | | | |

PNEC values

| CAS No | Substance | | | | |
|--|-----------|-----------|--|--|--|
| Environmental compartment Value | | | | | |
| 105-59-9 2,2'-(methylimino)diethanol; N-methyldiethanolamine | | | | | |
| Freshwater 0,1 mg/l | | | | | |
| Marine water 0,013 mg/l | | | | | |
| Freshwater sediment 0,89 mg/l | | | | | |
| Marine sedime | nt | 0,11 mg/l | | | |

Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

Individual protection measures, such as personal protective equipment

Eye/face protection

safety glasses with side-shields conforming to EN166

Hand protection

protective gloves EN ISO 374 nitrile rubber Butyl caoutchouc (butyl rubber) For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Only wear fitting, comfortable and clean protective clothing.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. Recommended Filter type: A-P2.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

9. Physical and chemical properties

Information on basic physical and chemical properties

| Physical state: | liquid |
|-----------------|----------------|
| Color: | light yellow |
| Odor: | characteristic |

Test method

| Revision date: 06/01/2023 | Product code: BO5002827 | Page 5 | of 7 |
|--|-------------------------|-----------|------|
| Flammability: | not applicable | | |
| pH-Value: | 9,5 -10,5 | DIN 51369 | |
| Viscosity / kinematic: (at 40 °C) | 3 - 5 mm²/s | DIN 16896 | |
| Water solubility: | soluble | OECD 116 | |
| Density: | 1,060-1,080 g/cm³ | DIN 51757 | |
| Other information | | | |
| Information with regard to physical hazard class | es | | |
| Explosive properties | | | |

none Oxidizing properties none

NBohle

10. Stability and reactivity

Reactivity

No hazardous reaction when handled and stored according to provisions.

Chemical stability

Stable under normal conditions.

Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid

Protect from frost, heat and sunlight.

Incompatible materials

strong acids and oxidizing agents

Hazardous decomposition products

No known hazardous decomposition products.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) 6666,7 mg/kg

| CAS No | Components | | | | | | |
|----------|---------------------------------------|---------------|--------------|---------|--------|--------|--|
| | Exposure route | Dose | | Species | Source | Method | |
| 111-46-6 | 2,2'-oxybisethanol; diethylene glycol | | | | | | |
| | oral | LD50 mg/kg | 19600 | Rat | | | |
| | dermal | LD50 mg/kg | 13300 | Rabbit | | | |
| | inhalation (4 h) vapour | LC50 | > 5 mg/l | Rat | | | |
| 105-59-9 | 2,2'-(methylimino)diethar | nol; N-methy | ldiethanolam | ine | | | |
| | oral | LD50 mg/kg | 4680 | Rat | | | |
| | dermal | LD50 mg/kg | 5990 | Rabbit | | | |

| Revision date: (| 06/01/2023 |
|------------------|------------|
|------------------|------------|

Bohle

Product code: BO5002827

Page 6 of 7

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitizing effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure Based on available data, the classification criteria are not met.

Dased of available data, the classification effecta are not in

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

12. Ecological information

Ecotoxicity

Based on available data, the classification criteria are not met.

| CAS No | Components | | | | | | | |
|----------|----------------------------|---|----------|-----------|----------------------------|--------|--------|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method | |
| 111-46-6 | 2,2'-oxybisethanol; diethy | 2,2'-oxybisethanol; diethylene glycol | | | | | | |
| | Acute fish toxicity | LC50 mg/l | > 32000 | 96 h | Gambusia affinis | | | |
| 105-59-9 | 2,2'-(methylimino)diethan | 2,2'-(methylimino)diethanol; N-methyldiethanolamine | | | | | | |
| | Acute fish toxicity | LC50 2200 mg/l | 1000 - | 96 h | Leuciscus idus | | | |
| | Acute algae toxicity | ErC50 | 37 mg/l | | Desmodesmus subspicatus | | | |
| | Acute crustacea toxicity | EC50 | 233 mg/l | 48 h | Daphnia magna | | | |

Partition coefficient n-octanol/water

| CAS No | Components | Log Pow |
|----------|---|--------------|
| 111-46-6 | 2,2'-oxybisethanol; diethylene glycol | -1,98 (25°C) |
| 105-59-9 | 2,2'-(methylimino)diethanol; N-methyldiethanolamine | -1,08 |

Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

13. Disposal considerations

Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.

List of Wastes Code - used product

120109 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; machining emulsions and solutions free of halogens; hazardous waste

14. Transport information



Revision date: 06/01/2023

Product code: BO5002827

Page 7 of 7

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 75

National regulatory information

Water hazard class (D):

2 - obviously hazardous to water

16. Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,13,15.

Relevant H statements (full text)

| H302 | Harmful if swallowed |
|--------|---|
| H319 | Causes serious eye irritation |
| EUH210 | Safety data sheet available on request. |

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)