

# Safety data sheet

Page: 1/14

Chemetall (now part of BASF Group) Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 08.07.2020

Version: 1.0

Date previous version: not applicable

Previous version: none

Product: **ACEPAREN 5446**

(ID no. 30707892/SDS\_GEN\_GB/EN)

Date of print 05.01.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

## **ACEPAREN 5446**

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: anti-adhesive agents

Not recommended use: Uses other than recommended

### 1.3. Details of the supplier of the safety data sheet

Company:

Chemetall GmbH  
Trakehner Straße, 3  
60487, Frankfurt am Main  
Germany  
+49(0)69 7165-0  
sds.global-chemetall@basf.com

Contact address:

Chemetall Ltd.  
Denbigh Road 65  
Bletchley Milton Keynes MK1 1PB  
Great Britain

Telephone: +44 1908 649333

E-mail address: sds.global-chemetall@basf.com

### 1.4. Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

## SECTION 2: Hazards Identification

### 2.1. Classification of the substance or mixture

Chemetall (now part of BASF Group) Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 08.07.2020

Version: 1.0

Date previous version: not applicable

Previous version: none

Product: **ACEPAREN 5446**

(ID no. 30707892/SDS\_GEN\_GB/EN)

Date of print 05.01.2021

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

#### According to Regulation (EC) No 1272/2008 [CLP]

Eye Dam./Irrit. 2

H319 Causes serious eye irritation.

For the classifications not written out in full in this section the full text can be found in section 16.

## 2.2. Label elements

### Globally Harmonized System, EU (GHS)

Pictogram:



Signal Word:

Warning

Hazard Statement:

H319 Causes serious eye irritation.

Precautionary Statements (Prevention):

P264 Wash contaminated body parts thoroughly after handling.

P280 Wear protective gloves, protective clothing and eye protection or face protection.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical attention.

## 2.3. Other hazards

### According to Regulation (EC) No 1272/2008 [CLP]

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Chemetall (now part of BASF Group) Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 08.07.2020

Version: 1.0

Date previous version: not applicable

Previous version: none

Product: **ACEPAREN 5446**

(ID no. 30707892/SDS\_GEN\_GB/EN)

Date of print 05.01.2021

---

## SECTION 3: Composition/Information on Ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

#### Chemical nature

organic  
aqueous solution

Hazardous ingredients (GHS)  
according to Regulation (EC) No. 1272/2008

Sodium dodecylbenzenesulfonate	
Content (W/W): $\geq 1\%$ - $< 2\%$	Acute Tox. 4 (oral)
CAS Number: 25155-30-0	Skin Corr./Irrit. 2
EC-Number: 246-680-4	Eye Dam./Irrit. 1
REACH registration number: 01-2120088038-51	H318, H315, H302

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

---

## SECTION 4: First-Aid Measures

### 4.1. Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Remove affected person from danger area. Immediately remove contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

If inhaled:

Remove the affected individual into fresh air and keep the person calm. If symptoms persist, seek medical advice. If breathing is irregular or stopped, administer artificial respiration.

On skin contact:

If symptoms persist, seek medical advice. Remove contaminated clothing. Wash skin with soap and water, rinse abundantly. Do NOT use solvents or thinners.

On contact with eyes:

---

Chemetall (now part of BASF Group) Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 08.07.2020

Version: 1.0

Date previous version: not applicable

Previous version: none

Product: **ACEPAREN 5446**

(ID no. 30707892/SDS\_GEN\_GB/EN)

Date of print 05.01.2021

Remove contact lenses, if present. Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist. Immediate medical attention required.

On ingestion:

Do not induce vomiting. Rinse mouth thoroughly with water, seek medical attention. If adverse health effects develop seek medical attention.

#### **4.2. Most important symptoms and effects, both acute and delayed**

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Hazards: Eye irritation

#### **4.3. Indication of any immediate medical attention and special treatment needed**

Treatment: Symptomatic treatment (decontamination, vital functions).

Antidote: No known specific antidote.

---

## **SECTION 5: Fire-Fighting Measures**

### **5.1. Extinguishing media**

Suitable extinguishing media:

carbon dioxide, alcohol-resistant foam, dry powder, water spray

Unsuitable extinguishing media for safety reasons:

water jet

### **5.2. Special hazards arising from the substance or mixture**

carbon oxides, sulfur oxides, nitrogen oxides

Hazardous decomposition products formed under fire conditions.

### **5.3. Advice for fire-fighters**

Special protective equipment:

Appropriate breathing apparatus may be required.

Further information:

Cool closed containers in the vicinity of the source of fire. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems.

---

---

Chemetall (now part of BASF Group) Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 08.07.2020

Version: 1.0

Date previous version: not applicable

Previous version: none

Product: **ACEPAREN 5446**

(ID no. 30707892/SDS\_GEN\_GB/EN)

Date of print 05.01.2021

---

## SECTION 6: Accidental Release Measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid breathing vapours. Keep away from sources of ignition. Ensure adequate ventilation. Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

### 6.2. Environmental precautions

Do not allow to enter drains or waterways. Do not discharge into the subsoil/soil. If the product enters drains or sewers, the local water company should be contacted immediately; in the case of contamination of streams, rivers or lakes, the Environment Agency.

### 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in a suitable container for disposal according with the waste regulations (see section 13). Clean preferably with a detergent; avoid the use of solvents. Ensure adequate ventilation.

### 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

---

## SECTION 7: Handling and Storage

### 7.1. Precautions for safe handling

Provide good ventilation of working area (local exhaust ventilation if necessary). Do not return residues to the storage containers. Smoking, eating and drinking are forbidden in application area. For personal protection see section 8. Comply with the health and safety at work laws. Avoid inhalation of vapour and spray mist. The workplace should be equipped with an emergency shower and eye-rinsing facility. Avoid contact with the skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

Avoid all sources of ignition: heat, sparks, open flame. The relevant fire protection measures should be noted.

### 7.2. Conditions for safe storage, including any incompatibilities

Segregate from oxidants.

Suitable materials for containers: High density polyethylene (HDPE), Low density polyethylene (LDPE), Polyethyleneterephthalate (PET), Polypropylene (PP)

Further information on storage conditions: The entrance to storage rooms is to be granted only to appropriately trained personnel. Keep only in the original container. Keep container tightly closed in a cool, well-ventilated place. Keep container dry. Avoid direct sunlight. Keep away from heat. Protect from frost.

Storage stability:

Chemetall (now part of BASF Group) Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 08.07.2020

Version: 1.0

Date previous version: not applicable

Previous version: none

Product: **ACEPAREN 5446**

(ID no. 30707892/SDS\_GEN\_GB/EN)

Date of print 05.01.2021

Storage temperature: 5 - 40 °C

### 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

---

## SECTION 8: Exposure Controls/Personal Protection

### 8.1. Control parameters

#### Components with occupational exposure limits

No occupational exposure limits known.

#### Biological limit values (BLV)

No data available.

#### Components with PNEC

25155-30-0: Sodium dodecylbenzenesulfonate  
freshwater: 0.693 mg/l  
marine water: 1 mg/l  
STP: 50 mg/l  
sediment (freshwater): 27.5 mg/kg  
sediment (marine water): 2.75 mg/kg  
air: approx. 0.692 ppm  
soil: 25 mg/kg  
oral (secondary poisoning): 20 mg/kg

#### Components with DNEL

25155-30-0: Sodium dodecylbenzenesulfonate  
worker: Long- and short-term exposure - systemic effects, Inhalation: 52 mg/m<sup>3</sup>  
worker: Long- and short-term exposure - local effects, Inhalation: 52 mg/m<sup>3</sup>  
worker: Long-term exposure- systemic effects, dermal: 57.2 mg/kg  
worker: Short-term exposure - systemic effects, dermal: 80 mg/kg  
worker: Long- and short-term exposure - local effects, dermal: 1.57 mg/cm<sup>2</sup>  
consumer: Long- and short-term exposure - systemic effects, Inhalation: 26 mg/m<sup>3</sup>  
consumer: Long- and short-term exposure - local effects, Inhalation: 26 mg/m<sup>3</sup>  
consumer: Long-term exposure- systemic effects, dermal: 28.6 mg/kg  
consumer: Short-term exposure - systemic effects, dermal: 40 mg/kg  
consumer: Long- and short-term exposure - local effects, dermal: 0.787 mg/cm<sup>2</sup>  
consumer: Long- and short-term exposure - systemic effects, oral: 13 mg/kg

---

Chemetall (now part of BASF Group) Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 08.07.2020

Version: 1.0

Date previous version: not applicable

Previous version: none

Product: **ACEPAREN 5446**

(ID no. 30707892/SDS\_GEN\_GB/EN)

Date of print 05.01.2021

worker: Long- and short-term exposure - local effects, Eye

No DNELs have been derived.

consumer: Long- and short-term exposure - local effects, Eye

No DNEL value available.

## 8.2. Exposure controls

### Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. (Gas filter EN 14387 A)

Hand protection:

Chemical resistant protective gloves (EN 374)

Use suitable protective gloves made of nitrile rubber or butyl rubber. Please observe the glove manufacturer's instructions on permeability and rupture times as well as the specific workplace conditions.

The protection glove should be tested for its specific suitability (e.g. mechanical strength, product compatibility, anti-static properties).

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Chemical resistant protective clothing according to DIN EN 13034 (Type 6)

### General safety and hygiene measures

Do not breathe vapour/spray. Eye wash fountains and safety showers must be easily accessible.

Avoid contact with the skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. Remove contaminated clothing immediately and dispose of safely. Hands and/or face should be washed before breaks and at the end of the shift. Keep separated from food stuffs and feed stocks.

### Environmental exposure controls

For information regarding environmental exposure controls, see Section 6.

---

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

Form:	liquid
Colour:	yellow
Odour:	slight odour
pH value:	approx. 9.5 (20 °C) (undiluted)
solidification temperature:	not determined

Chemetall (now part of BASF Group) Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 08.07.2020

Version: 1.0

Date previous version: not applicable

Previous version: none

Product: **ACEPAREN 5446**

(ID no. 30707892/SDS\_GEN\_GB/EN)

Date of print 05.01.2021

onset of boiling:	> 100 °C	
Flash point:		
	not applicable	
Flammability:	not applicable	
Lower explosion limit:		
	not determined	
Ignition temperature:		
	not determined	
Vapour pressure:	< 23 hPa (20 °C)	
	(50 °C)	
Density:	not determined approx. 1.01 g/cm <sup>3</sup> (20 °C)	(DIN 51757)
Solubility in water:	fully soluble	
Self ignition:	not self-igniting	
Viscosity, dynamic:	approx. 3 mPa*s (20 °C)	(DIN 54453)
Viscosity, kinematic:	(40 °C)	
	No data available.	
Explosion hazard:	not explosive	
Fire promoting properties:	not fire-propagating	

## 9.2. Other information

Self heating ability:	It is not a substance capable of spontaneous heating.
Miscibility with water:	
	miscible
Flow time:	
	(20 °C)
	No data available.

## SECTION 10: Stability and Reactivity

### 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

### 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### 10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.



---

Chemetall (now part of BASF Group) Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 08.07.2020

Version: 1.0

Date previous version: not applicable

Previous version: none

Product: **ACEPAREN 5446**

(ID no. 30707892/SDS\_GEN\_GB/EN)

Date of print 05.01.2021

---

#### **10.4. Conditions to avoid**

Protect from sunlight. Avoid heat. Avoid freezing.

#### **10.5. Incompatible materials**

Substances to avoid:  
oxidizing agents

#### **10.6. Hazardous decomposition products**

No hazardous decomposition products if stored and handled as prescribed/indicated.

---

### **SECTION 11: Toxicological Information**

#### **11.1. Information on toxicological effects**

##### Acute toxicity

Assessment of acute toxicity:

Based on available Data, the classification criteria are not met.

##### Irritation

Assessment of irritating effects:

Not irritating to the skin. Eye contact causes irritation.

##### Respiratory/Skin sensitization

Assessment of sensitization:

Based on available Data, the classification criteria are not met.

##### Germ cell mutagenicity

Assessment of mutagenicity:

Based on available Data, the classification criteria are not met.

##### Carcinogenicity

Assessment of carcinogenicity:

Based on available Data, the classification criteria are not met.

##### Reproductive toxicity

Assessment of reproduction toxicity:

Based on available Data, the classification criteria are not met.

---

Chemetall (now part of BASF Group) Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 08.07.2020

Version: 1.0

Date previous version: not applicable

Previous version: none

Product: **ACEPAREN 5446**

(ID no. 30707892/SDS\_GEN\_GB/EN)

Date of print 05.01.2021

---

#### Developmental toxicity

Assessment of teratogenicity:

Based on available Data, the classification criteria are not met.

#### Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on available Data, the classification criteria are not met.

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Based on available Data, the classification criteria are not met.

#### Aspiration hazard

No aspiration hazard expected.

---

## **SECTION 12: Ecological Information**

### **12.1. Toxicity**

Assessment of aquatic toxicity:

There are no test results available for this product. Do not allow to enter drains or waterways. The mixture has been assessed following regulation (EC) No 1272/2008 and is not classified as dangerous for the environment.

### **12.2. Persistence and degradability**

Assessment biodegradation and elimination (H<sub>2</sub>O):

No data available concerning biodegradation and elimination.

### **12.3. Bioaccumulative potential**

Bioaccumulation potential:

No data available.

### **12.4. Mobility in soil**

Assessment transport between environmental compartments:

Adsorption in soil: No data available.

### **12.5. Results of PBT and vPvB assessment**

Chemetall (now part of BASF Group) Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 08.07.2020

Version: 1.0

Date previous version: not applicable

Previous version: none

Product: **ACEPAREN 5446**

(ID no. 30707892/SDS\_GEN\_GB/EN)

Date of print 05.01.2021

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

### 12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

## SECTION 13: Disposal Considerations

### 13.1. Waste treatment methods

Observe national and local legal requirements.

Waste key:

Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

Contaminated packaging:

Containers which are not properly emptied must be disposed pursuant to Directive 2008/98/EC

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

## SECTION 14: Transport Information

### Land transport

ADR

Not classified as a dangerous good under transport regulations

UN number: Not applicable

UN proper shipping name: Not applicable

Transport hazard class(es): Not applicable

Packing group: Not applicable

Environmental hazards: Not applicable

Special precautions for user: None known

RID

Not classified as a dangerous good under transport regulations

UN number: Not applicable

UN proper shipping name: Not applicable

Chemetall (now part of BASF Group) Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 08.07.2020

Version: 1.0

Date previous version: not applicable

Previous version: none

Product: **ACEPAREN 5446**

(ID no. 30707892/SDS\_GEN\_GB/EN)

Date of print 05.01.2021

Transport hazard class(es): Not applicable  
Packing group: Not applicable  
Environmental hazards: Not applicable  
Special precautions for user: None known

### **Inland waterway transport**

ADN

Not classified as a dangerous good under transport regulations  
UN number: Not applicable  
UN proper shipping name: Not applicable  
Transport hazard class(es): Not applicable  
Packing group: Not applicable  
Environmental hazards: Not applicable  
Special precautions for user: None known

### **Transport in inland waterway vessel**

Not evaluated

### **Sea transport**

IMDG

Not classified as a dangerous good under transport regulations  
UN number: Not applicable  
UN proper shipping name: Not applicable  
Transport hazard class(es): Not applicable  
Packing group: Not applicable  
Environmental hazards: Not applicable  
Special precautions for user: None known

### **Air transport**

IATA/ICAO

Not classified as a dangerous good under transport regulations  
UN number: Not applicable  
UN proper shipping name: Not applicable  
Transport hazard class(es): Not applicable  
Packing group: Not applicable  
Environmental hazards: Not applicable

---

Chemetall (now part of BASF Group) Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 08.07.2020

Version: 1.0

Date previous version: not applicable

Previous version: none

Product: **ACEPAREN 5446**

(ID no. 30707892/SDS\_GEN\_GB/EN)

Date of print 05.01.2021

Special precautions for user          None known

#### **14.1. UN number**

See corresponding entries for "UN number" for the respective regulations in the tables above.

#### **14.2. UN proper shipping name**

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

#### **14.3. Transport hazard class(es)**

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

#### **14.4. Packing group**

See corresponding entries for "Packing group" for the respective regulations in the tables above.

#### **14.5. Environmental hazards**

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

#### **14.6. Special precautions for user**

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

#### **14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code**

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

---

### **SECTION 15: Regulatory Information**

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

##### Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):  
Listed in above regulation: no

#### **15.2. Chemical Safety Assessment**

Chemetall (now part of BASF Group) Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 08.07.2020

Version: 1.0

Date previous version: not applicable

Previous version: none

Product: **ACEPAREN 5446**

(ID no. 30707892/SDS\_GEN\_GB/EN)

Date of print 05.01.2021

Chemical Safety Assessment not required

## SECTION 16: Other Information

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

Eye Dam./Irrit.	Serious eye damage/eye irritation
Acute Tox.	Acute toxicity
Skin Corr./Irrit.	Skin corrosion/irritation
H319	Causes serious eye irritation.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H302	Harmful if swallowed.

### Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road.  
 ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.