

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Bohle Premium Glass Cleaner

Revision date: 11.01.2023

Product code: BO5107806

Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1. Product identifier

Bohle Premium Glass Cleaner

Further trade names

BO 5107805, 1000 ml

BO 5107807, 12 l

BO 5107806, 25 l

1.2. Relevant identified uses of the substance or mixture and uses advised against
Use of the substance/mixture

Cleaning agent

1.3. Details of the supplier of the safety data sheet

Company name:	BOHLE AG		
Street:	Dieselstr. 10		
Place:	42781 Haan		
Telephone:	+49 2129 5568-0	Telefax:	+49 2129 5568-282
e-mail:	info@bohle.de		
Contact person:	Dr. Martin Schade	Telephone:	+49 2129 5568-300
e-mail:	MSDS@bohle.de		
Internet:	www.bohle.com		
Responsible Department:	Chemie		

1.4. Emergency telephone number: Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463

SECTION 2: Hazards identification
2.2. Label elements
Additional advice on labelling

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 3: Composition/information on ingredients
3.2. Mixtures
Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
111-76-2	2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether			<10 %
	203-905-0	603-014-00-0	01-2119475108-36	
	Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2; H332 H302 H315 H319			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			<5 %
	200-661-7	603-117-00-0	01-2119457558-25	
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336			

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Bohle Premium Glass Cleaner

Revision date: 11.01.2023

Product code: BO5107806

Page 2 of 7

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
111-76-2	203-905-0	2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether	<10 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: ATE 1200 mg/kg	
67-63-0	200-661-7	propan-2-ol; isopropyl alcohol; isopropanol	<5 %
		inhalation: LC50 = 30 mg/l (vapours); dermal: LD50 = 13400 mg/kg; oral: LD50 = 4570 mg/kg	

SECTION 4: First aid measures
4.1. Description of first aid measures
General information

Take off immediately all contaminated clothing.

After inhalation

Provide fresh air.

If symptoms persist, call a physician.

After contact with skin

Wash with plenty of water.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If symptoms persist, call a physician.

After ingestion

Rinse mouth. Let water be drunk in little sips (dilution effect).

Do NOT induce vomiting.

SECTION 5: Firefighting measures
5.1. Extinguishing media
Suitable extinguishing media

Carbon dioxide (CO₂), Extinguishing powder, Water spray jet, alcohol resistant foam

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide, Carbon dioxide

Vapours are heavier than air and may spread along floors.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

Additional information

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures
6.1. Personal precautions, protective equipment and emergency procedures
General advice

Provide adequate ventilation. Wear personal protective equipment.

6.2. Environmental precautions

Dilute with plenty of water.

6.3. Methods and material for containment and cleaning up
Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Bohle Premium Glass Cleaner

Revision date: 11.01.2023

Product code: BO5107806

Page 3 of 7

6.4. Reference to other sections

SECTION 7: Handling and storage
 SECTION 8: Exposure controls/personal protection
 SECTION 13: Disposal considerations

SECTION 7: Handling and storage
7.1. Precautions for safe handling
Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities
Requirements for storage rooms and vessels

Keep only in the original container in a cool, well-ventilated place.

Protect from direct sunlight.

Always close containers tightly after the removal of product.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Keep/Store away from combustible materials.

Further information on storage conditions

storage temperature: -5°C - 40°C

SECTION 8: Exposure controls/personal protection
8.1. Control parameters
Occupational exposure limits

CAS No	Substance	ppm	mg/m ³	fib/cm ³	Category	Origin
111-76-2	2-Butoxyethanol (EGBE)	20	98		TWA (8 h)	
		50	246		STEL (15 min)	
67-63-0	Isopropyl alcohol	200	-		TWA (8 h)	
		400	-		STEL (15 min)	

Biological limit values

CAS No	Substance	Parameter	Value	Test material	Sampling time
111-76-2	2-Butoxyethanol	BAA	200 mg/g	Creatinine	End of shift
67-63-0	2-Propanol	Acetone	40 mg/L	Urine	End of shift at end of workweek

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			
Consumer DNEL, long-term		oral	systemic	26 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	319 mg/kg bw/day
Worker DNEL, long-term		dermal	systemic	888 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	89 mg/m ³
Worker DNEL, long-term		inhalation	systemic	500 mg/m ³

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Bohle Premium Glass Cleaner

Revision date: 11.01.2023

Product code: BO5107806

Page 4 of 7

PNEC values

CAS No	Substance	Value
Environmental compartment		
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol	
Freshwater		140,9 mg/l
Freshwater (intermittent releases)		140,9 mg/l
Marine water		140,9 mg/l
Freshwater sediment		552 mg/kg
Marine sediment		552 mg/kg
Micro-organisms in sewage treatment plants (STP)		2251 mg/l
Soil		28 mg/kg

8.2. Exposure controls
Appropriate engineering controls

Even in case of a full release, due to the small amount of substances present, it is not expected that exposure limits will be reached. However it is the duty of the user to verify this and follow given exposure limits at the workplace.

Individual protection measures, such as personal protective equipment
Eye/face protection

Not required

Hand protection

Not required

Skin protection

Not required

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Combination filtering device Recommended Filter type: A-P2

SECTION 9: Physical and chemical properties
9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	greenish blue
Odour:	aromatic

Test method
Changes in the physical state

Boiling point or initial boiling point and boiling range:	100 °C
---	--------

Self-ignition temperature

pH-Value (at 20 °C):	10,8	not auto-flammable
----------------------	------	--------------------

Water solubility:	completely miscible
-------------------	---------------------

Vapour pressure: (at 20 °C)	23 hPa
--------------------------------	--------

Density (at 23 °C):	0,91 g/cm ³
---------------------	------------------------

9.2. Other information

Solvent content:	10%
------------------	-----

Further Information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Bohle Premium Glass Cleaner

Revision date: 11.01.2023

Product code: BO5107806

Page 5 of 7

SECTION 10: Stability and reactivity
10.1. Reactivity

None under normal processing.

10.2. Chemical stability

No decomposition if used as directed.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008
Acute toxicity

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
111-76-2	2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether				
	oral	ATE 1200 mg/kg			
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol				
	oral	LD50 4570 mg/kg	Rat		
	dermal	LD50 13400 mg/kg	Rabbit		
	inhalation (4 h) vapour	LC50 30 mg/l	Rat		

SECTION 12: Ecological information
12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
111-76-2	2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether					
	Acute fish toxicity	LC50 1490 mg/l	96 h	Lepomis macrochirus		
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol					
	Acute fish toxicity	LC50 9640 mg/l	96 h	Pimephales promelas (fathead minnow)		
	Acute algae toxicity	ErC50 >2000 mg/l	72 h	Desmodesmus subspicatus		

12.2. Persistence and degradability

Readily biodegradable.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Bohle Premium Glass Cleaner

Revision date: 11.01.2023

Product code: BO5107806

Page 6 of 7

12.3. Bioaccumulative potential

No information available.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
111-76-2	2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether	0,81 (25°C)
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol	-0,16

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Further information

slightly hazardous to water

SECTION 13: Disposal considerations

13.1. Waste treatment methods

List of Wastes Code - residues/unused products

160306 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes other than those mentioned in 16 03 05

List of Wastes Code - used product

160306 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes other than those mentioned in 16 03 05

List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning.
Water (with cleaning agent)

SECTION 14: Transport information

Land transport (ADR/RID)

14.2. UN proper shipping name:

Not dangerous goods in the meaning of ADR/RID, ADNR, IMDG-Code, ICAO/IATA-DGR

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 40, Entry 75

2004/42/EC (VOC):

10%

Subcategory according to Directive 2004/42/EC:

Preparatory and cleaning - Preparatory, VOC limit value: 850 g/l

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Bohle Premium Glass Cleaner

Revision date: 11.01.2023

Product code: BO5107806

Page 7 of 7

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 9.

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)