

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Bohle Professional Glass cleaner, aerosol

Revision date: 16.03.2022

Product code: BO5107900

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1. Product identifier

Bohle Professional Glass cleaner, aerosol

1.2. Relevant identified uses of the substance or mixture and uses advised against
Use of the substance/mixture

Glass cleaner, contains solvents, flammable

1.3. Details of the supplier of the safety data sheet

Company name:	BOHLE AG	
Street:	Dieselstr. 10	
Place:	42781 Haan	
Telephone:	+49 2129 5568-0	Telefax: +49 2129 5568-282
e-mail:	info@bohle.de	
Contact person:	Dr. Martin Schade	Telephone: +49 2129 5568-300
e-mail:	MSDS@bohle.de	
Internet:	www.bohle.com	
Responsible Department:	Chemie	

1.4. Emergency telephone number: Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463

SECTION 2: Hazards identification
2.1. Classification of the substance or mixture
Regulation (EC) No 1272/2008

Aerosol 1; H222-H229

Full text of hazard statements: see SECTION 16.

2.2. Label elements
Regulation (EC) No 1272/2008
Signal word: Danger

Pictograms:

Hazard statements

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.

Precautionary statements

P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of in accordance with local regulations.

SECTION 3: Composition/information on ingredients
3.2. Mixtures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Bohle Professional Glass cleaner, aerosol

Revision date: 16.03.2022

Product code: BO5107900

Page 2 of 9

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
111-76-2	2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether			<5%
	203-905-0	603-014-00-0	01-2119475108-36	
	Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2; H332 H302 H315 H319			
68476-85-7	Petroleum gases, liquefied; Petroleum gas			<5%
	270-704-2	649-202-00-6	01-2119485911-31	
	Flam. Gas 1, Liquefied gas; H220 H280			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			<5%
	200-661-7	603-117-00-0	01-2119457558-25	
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336			
7632-00-0	sodium nitrite			<1%
	231-555-9	007-010-00-4	01-2119471836-27	
	Ox. Sol. 3, Acute Tox. 3, Eye Irrit. 2, Aquatic Acute 1; H272 H301 H319 H400			
246538-78-3	Hydrocarbons, C11-C13, isoalkanes, < 2% aromatics			<1%
	920-901-0		01-2119456810-40	
	Asp. Tox. 1; H304			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
111-76-2	203-905-0	2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether	<5% %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: ATE 1200 mg/kg	
67-63-0	200-661-7	propan-2-ol; isopropyl alcohol; isopropanol	<5% %
		inhalation: LC50 = 30 mg/l (vapours); dermal: LD50 = 13400 mg/kg; oral: LD50 = 4570 mg/kg	
7632-00-0	231-555-9	sodium nitrite	<1% %
		oral: LD50 = 180 mg/kg	

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % aliphatic hydrocarbons, perfumes.

Further Information

CAS 68476-85-7

SECTION 4: First aid measures
4.1. Description of first aid measures
General information

Move to fresh air in case of accidental inhalation of vapours.

After inhalation

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Put victim at rest, cover with a blanket and keep warm. Call a physician immediately.

After contact with skin

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Bohle Professional Glass cleaner, aerosol

Revision date: 16.03.2022

Product code: BO5107900

Page 3 of 9

After contact with eyes

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

After ingestion

Immediately give large quantities of water to drink. Do not induce vomiting. Consult a physician if necessary.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Foam, carbon dioxide (CO₂), Extinguishing powder, Water mist

Unsuitable extinguishing media

high volume water jet

5.2. Special hazards arising from the substance or mixture

Extremely flammable

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Contains gas under pressure; may explode if heated.

5.3. Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Use water spray to cool unopened containers.

Remove product from area of fire.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Provide adequate ventilation. In case of inadequate ventilation wear respiratory protection.

Do not breathe gas/vapour/aerosol.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

Collect spillage. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

6.3. Methods and material for containment and cleaning up**Other information**

Remove all sources of ignition. Provide adequate ventilation.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

6.4. Reference to other sections

Wear personal protection equipment (refer to section 8). Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

When using, do not eat, drink or smoke.

Advice on protection against fire and explosion

Do not smoke. Keep away from heat and sources of ignition. Keep product and empty container away from heat and sources of ignition.

Advice on general occupational hygiene

Keep away from sources of ignition - No smoking.

Wash hands before breaks and at the end of workday. Keep away from food, drink and animal feeding stuffs.

Further information on handling

Keep away from direct sunlight. Also after use, do not open with force or burn.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Bohle Professional Glass cleaner, aerosol

Revision date: 16.03.2022

Product code: BO5107900

Page 4 of 9

7.2. Conditions for safe storage, including any incompatibilities
Requirements for storage rooms and vessels

Keep containers tightly closed in a dry, cool and well-ventilated place.

SECTION 8: Exposure controls/personal protection
8.1. Control parameters
Occupational exposure limits

CAS No	Substance	ppm	mg/m ³	fib/cm ³	Category	Origin
111-76-2	2-Butoxyethanol (EGBE)	20	98		TWA (8 h)	
		50	246		STEL (15 min)	
67-63-0	Isopropyl alcohol	200	-		TWA (8 h)	
		400	-		STEL (15 min)	

Biological limit values

CAS No	Substance	Parameter	Value	Test material	Sampling time
111-76-2	2-Butoxyethanol	BAA	200 mg/g	Creatinine	End of shift
67-63-0	2-Propanol	Acetone	40 mg/L	Urine	End of shift at end of workweek

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			
Consumer DNEL, long-term		oral	systemic	26 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	319 mg/kg bw/day
Worker DNEL, long-term		dermal	systemic	888 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	89 mg/m ³
Worker DNEL, long-term		inhalation	systemic	500 mg/m ³

PNEC values

CAS No	Substance	Value
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol	
Freshwater		140,9 mg/l
Freshwater (intermittent releases)		140,9 mg/l
Marine water		140,9 mg/l
Freshwater sediment		552 mg/kg
Marine sediment		552 mg/kg
Micro-organisms in sewage treatment plants (STP)		2251 mg/l
Soil		28 mg/kg

8.2. Exposure controls
Appropriate engineering controls

Provide adequate ventilation.

Do not breathe gas/vapour/aerosol.

Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Bohle Professional Glass cleaner, aerosol

Revision date: 16.03.2022

Product code: BO5107900

Page 5 of 9

release (dust) .

Individual protection measures, such as personal protective equipment
Eye/face protection

safety glasses with side-shields conforming to EN166

Hand protection

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Skin protection

Wear suitable protective equipment.

Wash hands before breaks and after work.

Do not eat, drink or smoke when using this product.

Apply skin care products after work.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties
9.1. Information on basic physical and chemical properties

Physical state:	aerosol
Colour:	clear
Odour:	characteristic

Changes in the physical state

Boiling point or initial boiling point and boiling range:	-40 - -2 °C
---	-------------

Flash point:	<-40 °C
--------------	---------

Lower explosion limits:	1,8 vol. %
-------------------------	------------

Upper explosion limits:	9,5 vol. %
-------------------------	------------

Self-ignition temperature

Gas:	410 - 580 °C
------	--------------

Vapour pressure: (at 45 °C)	5900 - 17600 hPa
--------------------------------	------------------

Density (at 23 °C):	0,95 g/cm ³
---------------------	------------------------

Relative vapour density: (at 15 °C)	1,5
--	-----

9.2. Other information

Solvent content:	max. 58 g/l
------------------	-------------

Further Information
SECTION 10: Stability and reactivity
10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

The substance is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No decomposition if stored and applied as directed.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Bohle Professional Glass cleaner, aerosol

Revision date: 16.03.2022

Product code: BO5107900

Page 6 of 9

10.4. Conditions to avoid

Protect from frost, heat and sunlight.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

oxidizing agents

10.6. Hazardous decomposition products

Carbon monoxide

SECTION 11: Toxicological information
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008
Acute toxicity

Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Headaches and dizziness may occur, proceeding to fainting or unconsciousness; large doses may result in coma and death.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
111-76-2	2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether				
	oral	ATE 1200 mg/kg			
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol				
	oral	LD50 4570 mg/kg	Rat		
	dermal	LD50 13400 mg/kg	Rabbit		
	inhalation (4 h) vapour	LC50 30 mg/l	Rat		
7632-00-0	sodium nitrite				
	oral	LD50 180 mg/kg	Rat	GESTIS	

Irritation and corrosivity

@1501.B015620

Contact with eyes may cause irritation.

SECTION 12: Ecological information
12.1. Toxicity

Bohle Professional Glass cleaner, aerosol

Revision date: 16.03.2022

Product code: BO5107900

Page 7 of 9

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
111-76-2	2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether					
	Acute fish toxicity	LC50 mg/l	1490	96 h	Lepomis macrochirus	
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol					
	Acute fish toxicity	LC50 mg/l	9640	96 h	Pimephales promelas (fathead minnow)	
	Acute algae toxicity	ErC50 mg/l	>2000	72 h	Desmodesmus subspicatus	
7632-00-0	sodium nitrite					
	Acute fish toxicity	LC50 mg/l	0,56 - 1,78	96 h	Onchorhynchus mykiss	

12.3. Bioaccumulative potential
Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
111-76-2	2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether	0,81 (25°C)
68476-85-7	Petroleum gases, liquefied; Petroleum gas	1,09-2,8
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol	-0,16
7632-00-0	sodium nitrite	-3,7

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Further information

Water hazard class 2: water endangering
Do not flush into surface water or sanitary sewer system.
Avoid subsoil penetration.

SECTION 13: Disposal considerations
13.1. Waste treatment methods
Disposal recommendations

In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160505 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers other than those mentioned in 16 05 04

SECTION 14: Transport information
Land transport (ADR/RID)

14.1. UN number or ID number: UN 1950
14.2. UN proper shipping name: AEROSOLS
14.3. Transport hazard class(es): 2
14.4. Packing group: -
 Hazard label: 2.1

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Bohle Professional Glass cleaner, aerosol

Revision date: 16.03.2022

Product code: BO5107900

Page 8 of 9



Classification code: 5F
 Special Provisions: 190 327 344 625
 Limited quantity: 1 L
 Excepted quantity: E0
 Transport category: 2
 Tunnel restriction code: D

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1950
14.2. UN proper shipping name: AEROSOLS
14.3. Transport hazard class(es): 2
14.4. Packing group: -
 Hazard label: 2.1



Classification code: 5F
 Special Provisions: 190 327 344 625
 Limited quantity: 1 L
 Excepted quantity: E0

Marine transport (IMDG)

14.1. UN number or ID number: UN 1950
14.2. UN proper shipping name: AEROSOLS
14.3. Transport hazard class(es): 2.1
14.4. Packing group: -
 Hazard label: 2.1



Special Provisions: 63, 190, 277, 327, 344, 959
 Limited quantity: 1000 mL
 Excepted quantity: E0
 EmS: F-D, S-U

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1950
14.2. UN proper shipping name: AEROSOLS, flammable
14.3. Transport hazard class(es): 2.1
14.4. Packing group: -
 Hazard label: 2.1



Special Provisions: A145 A167 A802
 Limited quantity Passenger: 30 kg G
 Passenger LQ: Y203
 Excepted quantity: E0
 IATA-packing instructions - Passenger: 203
 IATA-max. quantity - Passenger: 75 kg
 IATA-packing instructions - Cargo: 203

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Bohle Professional Glass cleaner, aerosol

Revision date: 16.03.2022

Product code: BO5107900

Page 9 of 9

IATA-max. quantity - Cargo:

150 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

SECTION 15: Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

2004/42/EC (VOC):

6,1 % (58 g/l)

Subcategory according to Directive

Preparatory and cleaning - Preparatory, VOC limit value: 850 g/l

2004/42/EC:

National regulatory information

Water hazard class (D):

2 - obviously hazardous to water

SECTION 16: Other information
Changes

This data sheet contains changes from the previous version in section(s): 2.

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Aerosol 1; H222-H229	On basis of test data

Relevant H and EUH statements (number and full text)

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H272	May intensify fire; oxidiser.
H280	Contains gas under pressure; may explode if heated.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)