

Gas cartridge for PYROSIL

Revision date: 05.03.2020

Product code: BO5209497

Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1. Product identifier

Gas cartridge for PYROSIL

Further trade names

BO 5209495, 27,5 g, BO 5209490 SET
 BO 5209496, 27,5 g, BO 5209491 SET
 BO 5209497, 330 g

1.2. Relevant identified uses of the substance or mixture and uses advised against
Use of the substance/mixture

Plating agent

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company name:	BOHLE AG	
Street:	Dieselstr. 10	
Place:	D-42781 Haan	
Telephone:	+49 2129 5568-0	Telefax: +49 2129 5568-282
e-mail:	info@bohle.de	
Contact person:	Klaus Nehren	Telephone: +49 2129 5568-276
e-mail:	MSDS@bohle.de	
Internet:	www.bohle.com	
Responsible Department:	Chemie	

1.4. Emergency telephone number:

Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463

SECTION 2: Hazards identification
2.1. Classification of the substance or mixture
Regulation (EC) No. 1272/2008

Hazard categories:
 Aerosol: Aerosol 1
 Hazard Statements:
 Extremely flammable aerosol.
 Pressurised container: May burst if heated.

2.2. Label elements
Regulation (EC) No. 1272/2008
Signal word: Danger

Pictograms:

Hazard statements

H222 Extremely flammable aerosol.
 H229 Pressurised container: May burst if heated.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P211 Do not spray on an open flame or other ignition source.

according to Regulation (EC) No 1907/2006

Gas cartridge for PYROSIL

Revision date: 05.03.2020

Product code: BO5209497

Page 2 of 7

P251	Do not pierce or burn, even after use.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P260	Do not breathe Aerosol.
P271	Use only outdoors or in a well-ventilated area.

Special labelling of certain mixtures

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.
Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking. Keep out of the reach of children.

SECTION 3: Composition/information on ingredients
3.2. Mixtures
Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
106-97-8	butane			50-80 %
	203-448-7	601-004-00-0		
	Flam. Gas 1; H220			
74-98-6	propane			20-50 %
	200-827-9	601-003-00-5		
	Flam. Gas 1; H220			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures
4.1. Description of first aid measures
General information

Take off immediately all contaminated clothing and wash it before reuse.

After inhalation

Provide fresh air.

Call a doctor if you feel unwell.

After contact with skin

Wash frost-bitten areas with plenty of water. Do not remove clothing.

In case of skin irritation, consult a physician.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Immediately give large quantities of water to drink. Do not induce vomiting. Consult a physician if necessary.

4.2. Most important symptoms and effects, both acute and delayed

Dizziness

May cause drowsiness or dizziness.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures
5.1. Extinguishing media

according to Regulation (EC) No 1907/2006

Gas cartridge for PYROSIL

Revision date: 05.03.2020

Product code: BO5209497

Page 3 of 7

Suitable extinguishing mediacarbon dioxide (CO₂), Water spray jet, dry chemical, Foam**Unsuitable extinguishing media**

high volume water jet

5.2. Special hazards arising from the substance or mixture

Danger of bursting container.

Pyrolysis products, toxic

5.3. Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Additional information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Keep away from sources of ignition - No smoking.

Provide adequate ventilation.

Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Use only in well-ventilated areas.

Provide sufficient air exchange and/or exhaust in work rooms.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Vapours can form explosive mixtures with air.

Further information on handling

When using do not eat, drink or smoke.

Draw up and observe skin protection programme.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container in a well-ventilated place.

Keep away from heat and sources of ignition.

Hints on joint storage

Oxidising agent

Keep away from food, drink and animal feedingstuffs.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Occupational exposure limits**

CAS No	Substance	ppm	mg/m ³	fib/cm ³	Category	Origin
74-98-6	Aliphatic hydrocarbon gases, Alkanes (C1-C3), Propane	-	-	-	Asphyxiant	
106-97-8	Butane, all isomers - n-butane	1000	-	-	STEL (15 min)	

8.2. Exposure controls

according to Regulation (EC) No 1907/2006

Gas cartridge for PYROSIL

Revision date: 05.03.2020

Product code: BO5209497

Page 4 of 7

Appropriate engineering controls

Provide adequate ventilation.

Protective and hygiene measures

Keep away from food, drink and animal feeding stuffs.

Avoid contact with the skin and the eyes.

Do not breathe vapour/aerosol.

Eye/face protection

safety glasses with side-shields conforming to EN166

Hand protection

leather gloves, solvent-resistant gloves (butyl-rubber)

Skin protection

Wear suitable protective equipment.

Respiratory protection

No personal respiratory protective equipment normally required.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	compressed liquefied gas
Colour:	colourless
Odour:	characteristic

Changes in the physical state

Flash point: -40 °C

Flammability

Gas: Yes.

Lower explosion limits: 1,8 vol. %

Upper explosion limits: 8,8 vol. %

Density (at 20 °C): 0,56 g/cm³**SECTION 10: Stability and reactivity****10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Heating causes rise in pressure with risk of bursting.

10.4. Conditions to avoid

No decomposition if stored and applied as directed.

Keep away from heat and sources of ignition.

10.5. Incompatible materials

oxidizing agents

10.6. Hazardous decomposition products

Carbon monoxide

SECTION 11: Toxicological information**11.1. Information on toxicological effects**

according to Regulation (EC) No 1907/2006

Gas cartridge for PYROSIL

Revision date: 05.03.2020

Product code: BO5209497

Page 5 of 7

Acute toxicity

Based on available data, the classification criteria are not met.
None known.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Health injuries are not known or expected under normal use. Concentration above the admissible concentration at the workplace may cause dizziness, headache and inebriation. Rapid evaporation of the liquid may cause frostbite.

SECTION 12: Ecological information**12.1. Toxicity**

This product has no known eco-toxicological effects. Ecological injuries are not known or expected under normal use.

12.3. Bioaccumulative potential

Bioaccumulation is unlikely.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
106-97-8	butane	2,89
74-98-6	propane	2,36

12.4. Mobility in soil

not relevant

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Non-contaminated packages may be recycled.

List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

SECTION 14: Transport information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Gas cartridge for PYROSIL

Revision date: 05.03.2020

Product code: BO5209497

Page 6 of 7

Land transport (ADR/RID)

14.1. UN number: UN 1950
14.2. UN proper shipping name: AEROSOLS
14.3. Transport hazard class(es): 2
14.4. Packing group: -
 Hazard label: 2.1



Classification code: 5F
 Special Provisions: 190 327 344 625
 Limited quantity: 1 L
 Excepted quantity: E0
 Transport category: 2
 Tunnel restriction code: D

Inland waterways transport (ADN)

14.1. UN number: UN 1950
14.2. UN proper shipping name: AEROSOLS
14.3. Transport hazard class(es): 2
14.4. Packing group: -
 Hazard label: 2.1



Classification code: 5F
 Special Provisions: 190 327 344 625
 Limited quantity: 1 L
 Excepted quantity: E0

Marine transport (IMDG)

14.1. UN number: UN 1950
14.2. UN proper shipping name: AEROSOLS
14.3. Transport hazard class(es): 2.1
14.4. Packing group: -
 Hazard label: 2.1



Special Provisions: 63, 190, 277, 327, 344, 959
 Limited quantity: 1000 mL
 Excepted quantity: E0
 EmS: F-D, S-U

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 1950
14.2. UN proper shipping name: AEROSOLS
14.3. Transport hazard class(es): 2.1
14.4. Packing group: -
 Hazard label: 2.1

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Gas cartridge for PYROSIL

Revision date: 05.03.2020

Product code: BO5209497

Page 7 of 7



Special Provisions:	A145 A167 A802
Limited quantity Passenger:	30 kg G
Passenger LQ:	Y203
Excepted quantity:	E0
IATA-packing instructions - Passenger:	203
IATA-max. quantity - Passenger:	75 kg
IATA-packing instructions - Cargo:	203
IATA-max. quantity - Cargo:	150 kg

SECTION 15: Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 29: butane

2004/42/EC (VOC): 100 % (560 g/l)

National regulatory information

Water hazard class (D): - - non-hazardous to water

SECTION 16: Other information
Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Aerosol 1; H222-H229	On basis of test data

Relevant H and EUH statements (number and full text)

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)