

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Xtragrip MS Polymer**

Revision date: 25.10.2023

Product code: BO5730005

Page 1 of 7

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Xtragrip MS Polymer

**Further trade names**

BO 5730005, 290 ml

BO 5730006, 25 x 290 ml

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.3. Details of the supplier of the safety data sheet**

Company name:	BOHLE AG	
Street:	Dieselstr. 10	
Place:	D-42781 Haan	
Telephone:	+49 2129 5568-0	Telefax: +49 2129 5568-282
e-mail:	info@bohle.de	
Contact person:	Dr. Martin Schade	Telephone: +49 2129 5568-300
e-mail:	MSDS@bohle.de	
Internet:	www.bohle.com	
Responsible Department:	Chemie	

**1.4. Emergency telephone number:**

Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

**2.2. Label elements****Hazard components for labelling**

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

**SECTION 3: Composition/information on ingredients****3.2. Mixtures**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Xtragrip MS Polymer**

Revision date: 25.10.2023

Product code: BO5730005

Page 2 of 7

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
-	reaction mass of N,N'-ethane-1,2-diylbis(hexanamide) and 12-hydroxy-N-[2-[(1-oxohexyl)amino]ethyl]octadecanamide and N,N'-ethane-1,2-diylbis(12-hydroxyoctadecanamide)			1 - < 5 %
	432-430-3	616-200-00-1		
	Aquatic Chronic 4; H413			
2768-02-7	trimethoxyvinylsilane; trimethoxy(vinyl)silane			<3 %
	220-449-8	014-049-00-0	01-2119513215-52	
	Flam. Liq. 3, Acute Tox. 4, Skin Sens. 1B, STOT RE 2; H226 H332 H317 H373			
1760-24-3	N-beta-(aminoethyl)-gamma-aminopropyltrimethoxysilane			< 1 %
	Eye Dam. 1, Skin Sens. 1; H318 H317			
54068-28-9	Dioctylbis(pentan-2,4-dionato-O,O')zinn			< 1 %
	Skin Sens. 1, STOT SE 2; H317 H371			
52829-07-9	Bis(2,2,6,6-tetramethyl-4-piperidyl)sebacat			< 1 %
	Repr. 2, Eye Dam. 1, Aquatic Acute 1; H361f H318 H400			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
2768-02-7	220-449-8	trimethoxyvinylsilane; trimethoxy(vinyl)silane	<3 %
		inhalation: LC50 = 16,8 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = 3259 mg/kg; oral: LD50 = 7120 mg/kg	

**SECTION 4: First aid measures**
**4.1. Description of first aid measures**
**General information**

No special measures are necessary.

**After contact with eyes**

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

**After ingestion**

Rinse mouth. Call a doctor if you feel unwell.

**SECTION 5: Firefighting measures**
**5.1. Extinguishing media**
**Suitable extinguishing media**

 Carbon dioxide (CO<sub>2</sub>), Extinguishing powder, Water spray jet, alcohol resistant foam

**5.2. Special hazards arising from the substance or mixture**

Carbon monoxide, Hydrogen chloride (HCl)

**5.3. Advice for firefighters**

Standard procedure for chemical fires.

**SECTION 6: Accidental release measures**
**6.3. Methods and material for containment and cleaning up**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Xtragrip MS Polymer**

Revision date: 25.10.2023

Product code: BO5730005

Page 3 of 7

**Other information**

Use mechanical handling equipment.

**SECTION 7: Handling and storage**
**7.1. Precautions for safe handling**
**Advice on safe handling**

None under normal processing.  
When using, do not eat, drink or smoke.  
Wash hands before breaks and after work.

**Advice on general occupational hygiene**

See section 7. No additional measures necessary.

**7.2. Conditions for safe storage, including any incompatibilities**
**Requirements for storage rooms and vessels**

Store in a dry place. Store in a closed container.

**Hints on joint storage**

Keep away from heat and sources of ignition. Keep away from: oxidizing agents

**Further information on storage conditions**

Protect from frost, heat and sunlight.

**SECTION 8: Exposure controls/personal protection**
**8.1. Control parameters**
**DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
2768-02-7	trimethoxyvinylsilane; trimethoxy(vinyl)silane			
Worker DNEL, long-term		inhalation	systemic	2,6 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	0,2 mg/kg bw/day
Worker DNEL, acute		inhalation	systemic	2,6 mg/m <sup>3</sup>
Worker DNEL, acute		dermal	systemic	0,2 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,7 mg/m <sup>3</sup>
Consumer DNEL, long-term		dermal	systemic	0,1 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,1 mg/kg bw/day
Consumer DNEL, acute		inhalation	systemic	0,7 mg/m <sup>3</sup>
Consumer DNEL, acute		dermal	systemic	0,1 mg/kg bw/day

**PNEC values**

CAS No	Substance	Value
2768-02-7	trimethoxyvinylsilane; trimethoxy(vinyl)silane	
Environmental compartment		
Freshwater		0,36 mg/l
Freshwater (intermittent releases)		2,4 mg/l
Marine water		0,036 mg/l
Freshwater sediment		1,3 mg/kg
Marine sediment		0,13 mg/kg
Soil		0,055 mg/kg

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Xtragrip MS Polymer**

Revision date: 25.10.2023

Product code: BO5730005

Page 4 of 7

**8.2. Exposure controls**
**Appropriate engineering controls**

Provide adequate ventilation.

**Individual protection measures, such as personal protective equipment**
**Eye/face protection**

Not required

**Hand protection**

rubber gloves.

**Skin protection**

safety glasses with side-shields conforming to EN166

**Respiratory protection**

Not required

**SECTION 9: Physical and chemical properties**
**9.1. Information on basic physical and chemical properties**

Physical state:	Paste
Colour:	light grey
Odour:	characteristic

Water solubility:	
Solubility in other solvents	
miscible with most organic solvents	
Density (at 20 °C):	1,6 g/cm <sup>3</sup>

<b>Test method</b>
insoluble

**9.2. Other information**
**Information with regard to physical hazard classes**

Explosive properties

Not explosive

Self-ignition temperature

not auto-flammable

**SECTION 10: Stability and reactivity**
**10.1. Reactivity**

No dangerous reaction known under conditions of normal use.

**10.4. Conditions to avoid**

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

**10.5. Incompatible materials**

Oxidising agent

**10.6. Hazardous decomposition products**

Heating or fire can release toxic gas. (Carbon monoxide, Hydrogen chloride (HCl))

**SECTION 11: Toxicological information**
**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**
**Acute toxicity**

Based on available data, the classification criteria are not met.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Xtragrip MS Polymer**

Revision date: 25.10.2023

Product code: BO5730005

Page 5 of 7

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
2768-02-7	trimethoxyvinylsilane; trimethoxy(vinyl)silane				
	oral	LD50 mg/kg	7120	Rat	OECD 401
	dermal	LD50 mg/kg	3259	Rabbit	OECD 402
	inhalation (4 h) vapour	LC50	16,8 mg/l	Rat	OECD 403
	inhalation dust/mist	ATE	1,5 mg/l		

**Irritation and corrosivity**

Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**SECTION 12: Ecological information**
**12.1. Toxicity**

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
2768-02-7	trimethoxyvinylsilane; trimethoxy(vinyl)silane					
	Acute fish toxicity	LC50	191 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	
	Acute crustacea toxicity	EC50 mg/l	168,7	48 h	Daphnia magna (Big water flea)	
	Crustacea toxicity	NOEC mg/l	28,1	21 d	Daphnia magna (Big water flea)	OECD 211

**12.2. Persistence and degradability**

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
2768-02-7	trimethoxyvinylsilane; trimethoxy(vinyl)silane				
	OECD 301F	51 %	28		

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**SECTION 13: Disposal considerations**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Xtragrip MS Polymer**

Revision date: 25.10.2023

Product code: BO5730005

Page 6 of 7

**13.1. Waste treatment methods**
**Disposal recommendations**

Can be incinerated together with household waste in compliance with applicable technical regulations following consultation with approved waste disposal management companies and authorities in charge.  
Discharge into the environment must be avoided.

**List of Wastes Code - residues/unused products**

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants other than those mentioned in 08 04 09

**List of Wastes Code - used product**

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants other than those mentioned in 08 04 09

**List of Wastes Code - contaminated packaging**

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

**SECTION 14: Transport information**
**Land transport (ADR/RID)**

**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

**Inland waterways transport (ADN)**

**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

**Marine transport (IMDG)**

**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

**Air transport (ICAO-TI/IATA-DGR)**

**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**SECTION 15: Regulatory information**
**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**
**EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 75

2004/42/EC (VOC): < 2,6%  
< 41,8 g/l

**National regulatory information**

Water hazard class (D): 2 - obviously hazardous to water

**SECTION 16: Other information**
**Changes**

This data sheet contains changes from the previous version in section(s): 2.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Xtragrip MS Polymer**

Revision date: 25.10.2023

Product code: BO5730005

Page 7 of 7

**Relevant H and EUH statements (number and full text)**

H226	Flammable liquid and vapour.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H361f	Suspected of damaging fertility.
H371	May cause damage to organs.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H413	May cause long lasting harmful effects to aquatic life.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*